WAREHOUSE DOME
INCANDESCENT
CLASSIC SHAPES

PROJECT:

QUANTITY: TYPE:

WD1812INC
EG - Evergreen

WD1812INC
PT - Platinum Silver

WD1812INC
GW - Gloss White

WD1812INC
TQ - Turquoise

SERIES	ACCESSORIES[1]		MOUNTING[3]		INTERIOR[6]		FINISH[6]		WET KIT	
WD1611INC **WD1812INC** **WD2015INC**	ENCLOSURES		WALL MOUNT		**MWI**[7]	Matte White	**MW**[7]	Matte White	**WLKA**	Wet Location Kit
	FJ1[2]	3"x6.5" Frosted Glass	**CP6**[3]	Wall Pipe Interface	**CCI**	Custom Color	**MB**[7]	Matte Black		
	GJ1	3"x6.5" Clear Glass	**CP3**	CP6 Decorative Cover	**FCI**	Fixture Color Interior	**PT**[7]	Platinum Silver		
	CG1	Cast Wire Guard	**PA_**[4]	Mounting Arm Style			**CC**	Custom Color		
			SP90_[4]	Straight Arm						
			CEILING MOUNT							
			HM_[5]	Hang Straight Pendant						
			AT_[5]	Adjustable Length Hang Straight Pendant	See Page 4 for Full Range of Color Options (83-90082)		See Page 4 for Full Range of Color Options (83-90082)			
			PM_[5]	Pendant/Straight Mount						
			CD_[5]	Cord and Cable Mount						
			CM_[5]	Cord Mount						

EXAMPLE: WD1812INC/FJ1/HM36/MWICH

NOTES:
1 See Enclosures & Guards Page for Wire Guards and Additional Options   **2** Standard Enclosure   **3** See Mounting Pages Options and Details on Components and Finishes
4 See Mounting Page for Available Arm Options   **5** Specify Length in Inches: See Mounting Page for Available Lengths   **6** See Color Page for More Options/Consult Factory for Special Finishes   **7** Standard Interior Finish

Spectrum Lighting

SPECLIGHT.COM • 994 JEFFERSON ST. FALL RIVER, MA 02721 • 508.678.2303

ILLUMINATING WHAT'S POSSIBLE.

Dimensions and values shown are nominal. Spectrum Lighting continually works to improve products and reserves the right to make changes which may alter the performance or appearance of products.

83-50050_RB

WAREHOUSE DOME
INCANDESCENT
CLASSIC SHAPES

HOUSING DIMENSIONS

Dimensioned with **WD1812INC**

SERIES	A	B
WD1611INC	16.5	14.1
WD1812INC	18.5	14.7
WD2015INC	20.0	14.9

APPLICATION
The Warehouse Dome is designed for decorative general illumination.

FEATURES
Spectrum Lighting's RLM Classics are inspired by vintage lighting fixtures redesigned with modern LED light sources and materials. The wide range of options for illumination, mounting, enclosures, guards and finishes allows for creative fixture specification and design. LED driver is integral to fixture, special driver canopy is required. LED module and driver are serviceable for future replacement. Available in three sizes.

FINISH
Multi-stage polyester powder-coat process applied on our dedicated paint lines. Variety of standard and custom finishes are available. Interior is Matte White unless specified. Custom Color interior finish available.

ELECTRONICS
E26 Edison medium base 120V socket for incandescent or LED lamps.

CONSTRUCTION
Fixture shades are spun in our factory from 0.063 high purity aluminum. Wall mount canopies are die-cast aluminum with stainless steel hardware. Wall arms are formed 3/4 NPT aluminum pipe and may be field cut.

CODE COMPLIANCE
BAA compliant. ETL certified to meet US and Canadian standards. Suitable for dry or damp locations. Wet Location Option. Manufactured and tested to UL standards No. 1598/8750.

SERIES SIZES

WD1611INC

WD1812INC

WD2015INC

ENCLOSURES

FJ1
3" FROSTED GLASS

GJ1
3" CLEAR GLASS

ENCLOSURE WIRE GUARDS

CG1
3" CAST GUARD

WALL MOUNT
(SEE MOUNTING PAGES FOR MORE OPTIONS & DIMENSIONS.)

PA_
MOUNTING ARM STYLE

CEILING MOUNT
(SEE MOUNTING PAGES FOR MORE OPTIONS & CANOPY DIMENSIONS.)

HM / AT / PM
HANG STRAIGHT / ALL THREAD / PENDANT

CD
CORD / CABLE MOUNT

CM
CORD MOUNT

ILLUMINATING WHAT'S POSSIBLE.

83-50050_RB

MOUNTING & ACCESSORIES

SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES, CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.
NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.

WALL MOUNTING

CP6 - MOUNTS DIRECTLY TO WALL OR OCTAGON STYLE J-BOX

Ø 4.7
1.8

CUSTOM AND OTHER WALL ARMS AVAILABLE - CONTACT FACTORY. ARMS MAY BE FIELD CUT ON WALL SIDE - FIXTURE SIDE THREADED 3/4" NPT REQUIRES SEALANT FOR WET LOCATION.

PA15
15.0
9.8
8.3

PA24
15.0
18.0
9.5
24.0

PA32
32.6
19.5
30.0
10.5
32.2

PA16 - Front Wall Mount
15.0
25.0
13.0
WALL

PA17
17.0
7.0

PA26
28.5
12.7

PA16F - Back Wall Mount
20.0
25.0
13.0
WALL

PA22
22.0
7.5
5.0
12.5

PA36
36.0
7.0

PA23
23.0
7.0

SP9012 FIELD CUTABLE
12

SP9024 FIELD CUTABLE
24

PA48
48.0
7.0

PA901212
12.0
12.0

PA23(xx)
SPECIFY LENGTH
7.0
EXAMPLE: PA23O - 30" PA23

PA90 (Wxx)(Dxx)
SPECIFY LENGTH (Wxx)
SPECIFY DROP (6.5 Minimum) (Dxx)
EXAMPLE: PA90W20D07 - 90° PIPE 20 LONG 7" DEEP THREADED AT FIXTURE END

CEILING MOUNTING

HM* HANG STRAIGHT 45° SWIVEL 5/8" OD STEM - 3/8" IP	**PM*** RIDGID PENDANT MOUNT RIGID 5/8" OD STEM - 3/8" IP	**AT**** HANG STRAIGHT ALL THREAD 45° SWIVEL 5/8" OD STEM - 1/4" IP	**CD** CORD / CABLE MOUNT SJ CORD WITH 1/16 SS CABLE	**CM** CORD MOUNT SJ CORD WITH STRAIN RELIEF
45°	0°	FIELD CUTABLE 45°	ADJUST AND LOCKS	
ORDER: HM (Length) SPECIFY LENGTH:	ORDER: PM (Length) SPECIFY LENGTH:	ORDER: AT (Length) SPECIFY LENGTH:	ORDER: CD (Length) SPECIFY LENGTH:	ORDER: CM (Length) SPECIFY LENGTH:
HM3 - 3" **HM24** - 24" **HM6** - 6" **HM36** - 36" **HM12** - 12" **HM48** - 48" **HM18** - 18" **HM72** - 72"	**PM3** - 3" **PM24** - 24" **PM6** - 6" **PM36** - 36" **PM12** - 12" **PM48** - 48" **PM18** - 18" **PM72** - 72"	**AT12** - 12" **AT48** - 48" **AT24** - 24" **AT60** - 60" **AT36** - 36" **AT72** - 72"	**CD36** - 36" **CD72** - 72" **CD144** - 144"	**CM36** - 36" **CM72** - 72" **CM144** - 144"
HMLC(XX) Custom Length (Specify in Inches)	**PMLC(XX)** Custom Length (Specify in Inches)	FIELD CUT THREADED PIPE TO LENGTH NEEDED CUT "PIPE COVER 3/4" SHORTER THAN THREADED PIPE SLIP "PIPE COVER" OVER THREADED PIPE	**CDLC(XX)** Custom Length (Specify in Inches)	**CMLC(XX)** Custom Length (Specify in Inches)

*MAXIMUM ONE PIECE STEM LENGTH IS 72". **MAXIMUM ONE PIECE STEM LENGTH IS 36". LONGER LENGTHS ARE POSSIBLE USING MULTIPLE STEMS AND COUPLERS.
**ORDER IN 12" INCREMENTS, ODD SIZES MAY BE FIELD CUT

Spectrum Lighting

ILLUMINATING WHAT'S POSSIBLE.

83-50050_RB

COLOR OPTIONS - POWDER COAT PAINT FINISHES

NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL.
SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.

SPECTRUM
POWDER COAT COLORS

STANDARD CORD / STEM / CANOPY FINISHES

FIXTURE COLOR	STANDARD CORD COLOR	STANDARD CANOPY / STEM COLOR
Matte White, Textured White	Matte White	Matte White
Gloss White	Matte White	Gloss White
Matte Black, Gloss Black, Textured Black	Matte Black	Matte Black
All Others	Matte Black	Same Color as Fixture
Custom Color	Contact Factory	Contact Factory

PAINT TIMES

TIER	COST	AVERAGE PAINT TIME*
Tier 1 - Standard Finishes	$	🕐
Tier 2 - Typical Finishes	$$	🕐🕐
Tier 3 - Special Metal Finishes	$$$	🕐🕐🕐
Custom Color	Contact Factory	Contact Factory

*CONTACT FACTORY FOR SPECIFIC PRODUCT LEAD TIMES

TIER 1 - STANDARD FINISHES

MW	GW	PT	MB	GB	BZ
Matte White	Gloss White	Platinum Silver	Matte Black	Gloss Black	Bronze

TIER 2 - TYPICAL FINISHES

TW	TB	MT*	OB*	SN	CO	BR	GH	CH	AL	VE
Textured White	Textured Black	Textured Silver	Oil Rubbed Bronze	Sun Gold	Copper Metallic	Brecchia	Graphite	Charcoal	Almond	Verde Green

BL	RD	OR	CM	PL	PG	TQ	SF	PK	AY	EG
Blue Streak	Red Baron	Orange	Camel	Purple	Pub Green	Turquoise	Sea Foam	Pink	Aero Yellow	Evergreen

| LG	LB	BY	AK	AM	AZ	AS	AN	AC
Lime Green	Light Blue	Burgundy	Anodic Black	Anodic Malachite	Anodic Bronze	Anodic Sapphire	Anodic Natural	Anodic Champagne

TIER 3 - SPECIAL METAL FINISHES

NOT AVAILABLE ON ALL FIXTURES. PLEASE CONSULT SPECIFICATION SHEETS OR FACTORY FOR AVAILABILITY.

GA*	BA*/**	GF*
Galvanized	Brushed Aluminum	Gold Flake

CUSTOM COLOR FINISHES

CONTACT FACTORY

CC
Custom Color

CC

*UNAVAILABLE FOR WET LOCATION

**UNAVAILABLE FOR INTERIOR