





# Decorative Trims

for Recessed Lighting  
from SPECTRUM





SHOWN: SG9HF242EXBH279410FGRDCR.

## Very Low Profile Downlight Trims

### RDFG

1/4" Deep semi-flush bezel, integral radial design and frosted glass. Chrome, brass, black or white ring finish. 9" apertures.



### FRG

1/4" Deep semi-flush Stainless Steel bezel, frosted glass lens. Brushed stainless, gloss white, chrome or brass ring finish. 4" to 10" apertures.



### FHC

1/4" Deep semi-flush aluminum bezel, with 1/2" paracube louver. Silvertone, or goldtone cube. 7", 8", & 9" apertures.





Tiered  
Trims.  
Glass,  
Acrylic and  
Spun Aluminum



**1TFG-PERF**  
"Soda lime" glass tier with  
perforated Aluminum  
ring. Choose frosted,  
frosted center or clear  
glass tier.  
8" and 9" apertures

SHOWN: SGAV7142EX/AR71101TFG-PERF.


Decorative trims have been the first choice of specifiers looking to define areas, brighten ceilings or affect ambient perceptions. Spectrum Lighting presents this first collection of decorative trims to compliment our line of architectural recessed fixtures.

Decorative trims are available in a variety of apertures, fixture lamp types and finishes. Spectrum Lighting produces all trims and fixtures "in-house" giving you a reliable quality source. We have extensive custom capability

to compliment this collection. Spectrum Lighting makes it easy to create designed spaces with light. Spectrum is your lighting advantage.

**1FGR, 1CGR**

Open, wide band,  
frosted "soda lime" glass tier.  
Clear or frosted  
5" to 10" apertures .



**2TR, 3TR**

Open two and three tier trims.  
Optional solid bottom tier.  
Choose clear or frosted  
"soda lime" glass.  
5" to 9" apertures.



**1TMR, 2TMR, 3TMR**

Open tiered aluminum ring.  
Matching diameter flush trim  
Chrome, brass, black or  
white ring finish.  
4" to 9" apertures.



**1TFLOW**

Frosted symmetrical petal  
shape. Choose "soda lime"  
glass or acrylic.  
8", 9", & 10" apertures.





SHOWN: SPAG4MR16/4200GO/1TDDBR

## Deep bowl fixtures



**DSB12, DSB16**  
Suspended translucent bowl. Faux alabaster or white opal acrylic. 12" and 14" diameters. 5" and 9" apertures

Faux Alabaster and Acrylic "Pendant" trims..The Feel of an elegant suspended fixture, with a shallow downlight advantage. The bowl "look" allows the specifier to create an opulent atmosphere while staying within the limitations of smaller spaces and low ceiling areas.



**DSRB\*-FA, DSRB\*-WA,**  
Suspended translucent bowl with formed metal ring. 16", 18", and 24" diameter. faux alabaster or white opal acrylic bowl. White, brass, brushed or polished aluminum ring finish. 8" or 9" apertures. (12" aperture 4" deep for low plenum). \*specify diameter.

## Dramatic trims for unusual interiors

**1TMRFG**  
Large Spun Aluminum Ring with centered Soda Lime Glass Tier. 18" overall diameter. 10" apertures



**C1CVT12**  
Deep concave frosted "soda lime" glass tier, open center, 14" diameter. Choose frosted glass or acrylic. 9" aperture.



**FG1T20**  
Large frosted "soda lime" glass tier with 2" center opening. 5" to 10" apertures.



**1TSSFG**  
Frosted deco square of "soda lime" glass. Large open center. 7" to 9" apertures



**1CGT, 1CFGT, 10FGT**  
Solid "soda lime" glass tier. Choose clear, center frosted or outside frosted. 5"-10" apertures.



**1THS**  
Square single tier, open center. Choose sandblasted acrylic or frosted "soda lime" glass 5"6"7"9"apertures



Original Designs  
for Dramatic Statements.  
Glass, Acrylic and Aluminum.

Multi-tiered spun aluminum assemblies take on a shape of their own with individual parts spaced to allow indirect as well as direct light, softening the ceiling transition and creating interesting foci of their own.




**3CCMR**  
Concave, descending, spun aluminum tiers. Choose Polished aluminum or brass, brushed aluminum or gloss white. 9" aperture




**3CCMR-1TGR**  
Concave, descending, spun aluminum tiers. "soda lime" glass tier. Choose Polished aluminum or brass, brushed aluminum or gloss white. 9" aperture




**1TCBG**  
Single tier cobalt blue glass tier. Open center. May be used as a companion trim for "Turbo" or "Deco" trims 4" to 9" apertures




**DEC**  
Art-Deco cone with smaller inset reflector. Interior colors available for center reflector. 9" aperture.





SHOWN: TRIM3CCMR



**TURBO**  
Multi depth "turbo" louver.  
Center section available in natural or 3 "Agate" colors  
10" Aperture



## Color Choices

Lighting in the 21st Century is more than just illumination. Architects and specifiers have asked for more choices than "just plain silver", while using light as a decorative as well as a practical element. SPECTRUM lighting offers deep colors for the designer, a drop tier in cobalt blue and center colors for two new decorative profiles.



SHOWN: SG8HF242EX/8615CL-2TRCG

## Trims for small apertures

### **FGCY3 FACY3**

Sandblasted Pyrex (FGCY3) or acrylic (FACY3) cylinder hangs 3" below ceiling  
4" and 7" apertures



### **FGCY5 FACY5**

Sandblasted Pyrex (FGCY5) or acrylic (FACY5) cylinder hangs 5" below ceiling  
4" and 7" apertures



### **1TDMR**

Polished spun metal tier. Choose chrome, brass, stainless steel, brushed aluminum or copper finishes.  
4" and 5" apertures



# SPECTRUM Decorative Trim - Quick Specification Chart




chart below shows maximum wattage/aperture and trim availability  
H: Horizontal fluorescent V: Vertical fluorescent

SHAPE	MODEL NO.	FINISH		4"	5"	7"	8"	9"	10"
	<b>FRG</b> - Standard <b>FRGTP</b> - Tamper proof	<b>SS</b> - Brushed stainless steel ring <b>WR</b> - Gloss white ring <b>CR</b> - Chrome ring <b>BR</b> - Brass ring	FLV	26W	26W	42W	42W	42W	42W
			FLH	26W	26W	226W	242W	242W	242W
			HID	39W	50W	100W	150W		250W
			INC	50W	100W	150W	200W		300W
	<b>FHC</b> - 1/2" Paracube diffuser	<b>CA</b> - Silvertone cube <b>GA</b> - Gold tone cube	FLV			42W	42W	42W	
			FLH			226W	242W	242W	
			HID			100W	150W		
			INC			150W	200W		
	<b>RDFG</b> - Radial dish frosted glass standard	<b>CR</b> - Chrome ring <b>BR</b> - Brass ring <b>BLR</b> - Black ring <b>WR</b> - White ring	FLV					42W	
			FLH					242W	
			HID						
			INC						
	<b>1CFGT</b> - Center frosted glass tier <b>1CGT</b> - Clear glass tier <b>1OFGT</b> - Outside frosted (inside clear)	"Soda lime" glass standard	FLV	26W	26W	42W	42W	42W	42W
			FLH	26W	26W	226W	242W	242W	242W
			HID	39W	50W	100W	150W		250W
			INC	50W	100W	150W	200W		300W
	<b>1FGR</b> - Frosted glass ring/tier <b>1CGR</b> - Clear glass ring/tier	"Soda lime" glass standard	FLV		26W	42W	42W	42W	42W
			FLH		26W	226W	242W	242W	242W
			HID		50W	100W	150W		250W
			INC		100W	150W	200W		300W
	<b>1FGT20</b> - 2" Open center frosted glass tier	Frosted "soda lime" glass standard	FLV		26W	42W	42W	42W	42W
			FLH		26W	226W	242W	242W	242W
			HID		50W	100W	150W		250W
			INC		100W	150W	200W		300W
	<b>1T-PERF</b> - Perforated ring-glass tier	<b>FG</b> - Frosted glass <b>CFG</b> - Frosted center <b>CG</b> - Clear glass	FLV				42W	42W	
			FLH				242W	242W	
			HID				150W		
			INC				200W		
	<b>2TR</b> - Two tier ring <b>3TR</b> - Three tier ring Add for solid bottom: <b>1TFG</b> - frosted glass <b>1TCG</b> - clear glass	<b>CG</b> - Clear glass <b>FG</b> - Frosted glass <b>FA</b> - Frosted acrylic	FLV		26W	42W	42W	42W	
			FLH		26W	226W	242W	242W	
			HID		50W	100W	150W		
			INC		100W	150W	200W		












Note: Soda Lime glass is standard for all glass tiers. Some tiered trims may be special ordered in Borosilicate Glass or Acrylic.

Note: Wattages listed in RED indicate STOCKED TRIMS. 12" and larger trims may be available as special orders, please consult the factory.

# SPECTRUM Decorative Trim - Quick Specification Chart

For retro-fit into existing Spectrum fixtures, check with factory for feasibility.

chart below shows maximum wattage/aperture and trim availability  
H: Horizontal fluorescent V: Vertical fluorescent

SHAPE	MODEL NO.	FINISH		4"	5"	7"	8"	9"	10"	
 <p>Spun aluminum tiers (with flush trim to match ring diameters)</p>	<b>1TMR</b> - 1 tier metal ring <b>2TMR</b> - 2 tier metal ring <b>3TMR</b> - 3 tier metal ring	<b>WR</b> - White ring <b>CR</b> - Chrome ring <b>BR</b> - Brass ring <b>BLR</b> - Black ring	FLV	26W	26W	42W	<b>42W</b>	<b>42W</b>		
			FLH	26W	26W	226W	<b>242W</b>	<b>242W</b>		
			HID	39W	50W	100W	<b>150W</b>			
			INC	50W	100W	150W	<b>200W</b>			
 <p>Cobalt blue glass open tier</p>	<b>1TCBG</b> - Cobalt blue single glass tier	Cobalt blue standard	FLV	26W	26W	<b>42W</b>	<b>42W</b>	42W		
			FLH	26W	26W	<b>42W</b>	<b>42W</b>	42W		
			HID	39W	50W	<b>100W</b>	<b>150W</b>			
			INC	50W	100W	<b>150W</b>	<b>200W</b>			
 <p>Sandblasted petal shape. Open center</p>	<b>1TFLOW</b> - One tier flower pattern	<b>FG</b> - Frosted glass <b>FA</b> - Frosted acrylic	FLV			<b>42W</b>	42W	42W		
			FLH			<b>42W</b>	42W	42W		
			HID			<b>100W</b>	150W			
			INC			<b>150W</b>	200W			
 <p>Deep suspension translucent bowl (12", 16")</p>	<b>DSB12</b> - 12"Deep suspended bowl <b>DSB16</b> - 16"Deep suspended bowl	<b>FA</b> - Faux alabaster <b>WA</b> - White acrylic	FLV				<b>42W</b>	42W		
			FLH				<b>42W</b>	42W		
			HID				<b>150W</b>			
			INC				<b>200W</b>			
 <p>Suspended translucent bowl with metal ring (16", 18", 24")</p>	<b>DSRB-dia-FA</b> - Deep faux alabaster ring <b>DSRB-dia-WA</b> - Deep acrylic bowl (Specify diameter)	METAL RING FINISH <b>WR</b> - White ring <b>BR</b> - Brass ring <b>BA</b> - Brushed aluminum <b>PA</b> - Polished aluminum	FLV				<b>42W</b>	42W		
			FLH				<b>42W</b>	42W		
			HID				<b>150W</b>			
			INC				<b>200W</b>			
 <p>Hard square-frosted deep tier with open center</p>	<b>1THS</b> - One tier hard square	<b>FG</b> - Frosted glass <b>FA</b> - Frosted acrylic <b>CB</b> - Cobalt Blue	FLV	26W	26W	<b>42W</b>	<b>42W</b>	42W		
			FLH	26W	26W	<b>42W</b>	<b>42W</b>	42W		
			HID	39W	50W	<b>100W</b>	<b>150W</b>			
			INC	50W	100W	<b>150W</b>	<b>200W</b>			
 <p>Soft square-frosted deep tier with open center</p>	<b>1TSSFG</b> - One tier soft square frosted glass	Frosted "soda lime" glass standard	FLV			<b>42W</b>	42W	42W		
			FLH			<b>42W</b>	242W	242W		
			HID			<b>100W</b>	150W			
			INC			<b>150W</b>	200W			
 <p>1/4" Semi-flush aluminum ring and glass tier with frosted center</p>	<b>1TMRFG</b> - One tier metal ring with frosted glass	White disc, frosted center "soda lime" glass standard	FLV			42W	<b>42W</b>	42W		
			FLH				226W	<b>242W</b>	242W	
			HID				100W	<b>150W</b>		
			INC				150W	<b>200W</b>		
 <p>Convex frosted glass tier (12", 14")</p>	<b>1CVT-dia</b> - One convex tier (Specify diameter)	<b>FG</b> - Frosted glass <b>FA</b> - Frosted acrylic	FLV					<b>42W</b>		
			FLH					<b>242W</b>		
			HID							
			INC							
 <p>Concave descending metal tier/rings</p>	<b>3CCMR</b> - Three concave descending metal tier/rings	<b>BA</b> - Brushed aluminum <b>PA</b> - Polished aluminum <b>PB</b> - Polished brass <b>WR</b> - Gloss white	FLV					<b>42W</b>		
			FLH					<b>242W</b>		
			HID							
			INC							
 <p>Concave descending metal tier/rings with glass ring</p>	<b>3CCMR1TGR</b> - Three concave descending metal tier/rings with one tier glass ring	<b>BA</b> - Brushed aluminum <b>PA</b> - Polished aluminum <b>PB</b> - Polished brass <b>WR</b> - Gloss white	FLV					<b>42W</b>		
			FLH					<b>242W</b>		
			HID							
			INC							






Note: Soda Lime glass is standard for all glass tiers. Some tiered trims may be special ordered in Borosilicate Glass or Acrylic.

Note: Wattages listed in **RED** indicate **STOCKED TRIMS**. 12" and larger trims may be available as special orders, please consult the factory.

# SPECTRUM Decorative Trim - Quick Specification Chart

For retro-fit into existing Spectrum fixtures, check with factory for feasibility.

Chart below shows maximum wattage/aperture and trim availability  
H: Horizontal fluorescent V: Vertical fluorescent

SHAPE	MODEL NO.	FINISH		4"	5"	7"	8"	9"	10"
 Deco cone dual reflectors finished to specification	<b>DEC</b> - Reflector with insert center cone	CENTER FINISH	FLV					<b>42W</b>	
		<b>CA</b> - Clear alzak	FLH					<b>242W</b>	
		<b>CB</b> - Cobalt blue	HID						
		<b>TG</b> - Gem green	INC						
		<b>CR</b> - Crimson							
 Turbo louver with center cone extended 1/2"	<b>TURBO</b> - Specular Alzak turbo louver, center cone	CENTER FINISH	FLV					<b>42W</b>	
		<b>CA</b> - Clear alzak	FLH					<b>242W</b>	
		<b>CB</b> - Cobalt blue	HID						
		<b>TG</b> - Gem green	INC						
		<b>CR</b> - Crimson							
 Sandblasted Pyrex or Acrylic tube	<b>FGCY3</b> - 3" Deep Pyrex <b>FACY3</b> - 3" Deep Acrylic	Sandblasted Pyrex tube	FLV	<b>26W</b>	26W	42W			
			FLH	<b>26W</b>	26W	42W			
			HID	<b>39W</b>	50W	100W			
			INC	<b>50W</b>	100W	150W			
 Sandblasted Pyrex or Acrylic tube	<b>FGCY5</b> - 5" Deep Pyrex <b>FACY5</b> - 5" Deep Acrylic	Sandblasted Pyrex tube	FLV	<b>26W</b>	26W	42W			
			FLH	<b>26W</b>	26W	42W			
			HID	<b>39W</b>	50W	100W			
			INC	<b>50W</b>	50W	150W			
 Small polished spun aluminum tier	<b>1TMR</b> - Small polished tier	<b>WR</b> - White ring <b>CR</b> - Chrome ring <b>BR</b> - Brass ring <b>BLR</b> - Black ring	FLV	26W	26W				
			FLH	26W	26W				
			HID	39W	50W				
			INC	50W	100W				


1. Select the desired trim.
2. Choose the base Spectrum Architectural Fixture, and primary reflector from the CD Gold Series catalog, or from the Architectural Section in the binder. Be certain the trim is available in the aperture size you've selected.
3. Add the **Decorative Trim Suffix** to the Spectrum catalog number to complete your specification.

Note: Wattages listed in **RED** indicate **STOCKED TRIMS**. 12" and larger trims may be available as special orders, please consult the factory.

## Spectrum Architectural Frame Detail

At right is typical Architectural Downlight assembly.

- Heavy gauge frames are constructed of galvanealed steel or 5052H32 aluminum, with heat dissipating aluminum socket housings and junction boxes suitable for thru-wiring.
  - Both frames and yokes can be finished in optional powder coat black (shown) for use with exposed ceilings.
  - Mounting brackets are adjustable so fixture alignment is simple and the yoke is adjustable as well, assuring a perfect flange/ceiling fit. Brackets accept BH27, C-Channel, EMT and Caddy Bars.
  - Ballasts (when required) are mounted on the frame or junction box and are removable without tools for instant replacement.
- Every construction detail has been thought out for the easiest installation and maintenance possible. Consult the factory for special applications





**SPECTRUM**  
LIGHTING, INC.

994 Jefferson Street . Fall River, MA 02721 . 508.678.2303 FAX 508.678.2260

[www.speclight.com](http://www.speclight.com)