


SPECTRUM DECORATIVE TRIM

TRIM SERIES

For Retro-fit into existing Spectrum fixtures, check with factory for feasibility.

QUICK SPECIFICATION CHART



SHAPE	MODEL #	FINISH	3.5" AG/DG	4"	5"	6"	7"	8"	9"	10"	12"	
	FRG -Standard FRGTP -Tamper Proof	SS -Brushed Stainless Steel Ring WR -Gloss White Ring CR -Chrome Ring BR -Brass Ring	CF V	X	26w	26w	26w	42w	42w	42w		
			CF H	X	26w	26w	26w	226w	242w	242w		
			HID	X	39w	50w	50w	100w	150w	150w		
			INC		25w	50w	100w	100w	150w	200w	200w	
	FCH -1/2" Paracube Diffuser	CA -Silver Tone Cube GA -Gold Tone Cube	CF V						42w			
			CF H						242w			
			HID							X		
			INC							X		
	RDFG -Radial Dish, Frosted Glass Standard	CR -Chrome Ring BR -Brass Ring BLR -Black Ring WR -Gloss White Ring	CF V						42w			
			CF H						242w			
			HID							100w		
			INC							200w		
	1CFGT -Center Frosted Tier 1CGT -Clear Tier 1OFGT -Outside Frosted (Inside Clear)	"Soda Lime" Glass Standard	CF V	X	26w	26w	26w	42w	42w	42w	42w	
			CF H	X	26w	26w	26w	226w	242w	242w	242w	
			HID	X	39w	50w	50w	100w	150w	150w	250w	250w
			INC		25w	50w	100w	100w	150w	200w	200w	300w
	1FGR -Frosted Glass Ring/Tier 1CGR -Clear Glass Ring/Tier 1FAR -Frosted Acrylic Ring	"Soda Lime" Glass Standard	CF V	X	26w	26w	26w	42w	42w	42w	42w	
			CF H	X	X	26w	26w	226w	242w	242w	242w	242w
			HID	X	50w	50w	50w	100w	150w	150w	250w	250w
			INC		75w	100w	100w	100w	150w	200w	200w	300w
	1FGT20 -2" Open Center Frosted Glass Tier	Frosted "Soda Lime" Glass Standard	CF V			26w	26w	42w	42w	42w		
			CF H			26w	26w	226w	242w	242w		
			HID			50w	50w	100w	150w	150w		
			INC			100w	100w	150w	200w	200w		
	1TCFGT-PERF -Glass Tier Center Frosted w/ Perforated Aluminum	CFG -Center Frosted Glass	CF V				26w	42w	42w	42w	50w	50w
			CF H				26w	42w	242w	242w	270w	270w
			HID				50w	100w	150w	150w	175w	175w
			INC				100w	150w	200w	200w	300w	300w
	2TR - 2 Tier Ring 3TR - 3 Tier Ring <i>ADD FOR SOLID BOTTOM:</i> 1TFG - Frosted Glass 1TCG - Clear Glass	CG -Clear Glass FG -Frosted Glass FA -Frosted Acrylic	CF V		26w	26w	26w	42w	42w	42w	70w	
			CF H		X	26w	26w	226w	242w	242w	270w	
			HID		50w	50w	50w	100w	150w	150w	175w	
			INC		100w	100w	100w	150w	200w	200w	300w	
	1TMR - 1 Tier Metal Ring 2TMR - 2 Tier Metal Ring 3TMR - 3 Tier Metal Ring	WR -Gloss White Ring CR -Chrome Ring BR -Brass Ring BLR -Black Ring	CF V				26w	42w	42w	42w	70w	70w
			CF H				26w	226w	242w	242w	270w	270w
			HID				50w	100w	150w	150w	175w	175w
			INC				100w	150w	200w	200w	300w	300w

Dimensions shown are nominal. Spectrum Lighting is continually improving products and reserves the right to make changes that will not alter performance or appearance with or without written notice.

CHART ABOVE SHOWS MAX WATTAGE/APERTURE and TRIM AVAILABILITY. H: Horizontal Fluorescent, V: Vertical Fluorescent.

Note: Soda Lime Glass is standard for all Glass Tiers. Some tiered trims may be special ordered in Borosilicate Glass or Acrylic

Note: Wattages listed in **RED** indicate **STOCKED TRIMS**. 12" and larger trims may be available as special orders, please consult the factory.



SPECTRUM
DECORATIVE TRIM
 QUICK SPECIFICATION
 CHART

TRIM
SERIES

For Retro-fit into existing Spectrum fixtures, check with factory for feasibility.

SHAPE	MODEL #	FINISH	3.5" AG/DG	4"	5"	6"	7"	8"	9"	10"	12"	
 Cobalt Blue Glass Open Tier	1TCBG -Cobalt Blue Single Glass Tier	Cobalt Blue Standard	CF V		26w	26w	26w	42w	42w	42w	70w	70w
			CF H		X	26w	26w	42w	42w	42w	270w	270w
			HID		39w	50w	50w	100w	150w	150w	175w	175w
			INC		50w	100w	100w	150w	200w	200w	300w	300w
 Deep Suspension Translucent Bowl. (14" or 20") specify	DSB14 -14" Deep Suspended Bowl DSB20 -20" Deep Suspended Bowl	FA -Faux Alabaster WA -White Acrylic	CF V					42w	42w			
			CF H					42w	42w			
			HID					150w	150w			
			INC					200w	200w			
 Suspended Translucent Bowl with Metal Ring (16", 18" or 24") specify	DSRB-dia-FA -Deep Faux Alabaster Ring DSRB-dia-WA -Deep Acrylic Bowl (SPECIFY DIAMETER)	<i>METAL RING FINISH:</i> WR -Gloss White CR -Chrome BR -Brass PA -Polished Aluminum	CF V					42w	42w			
			CF H					42w	42w			
			HID					150w	150w			
			INC					200w	200w			
 Hard Square Frosted Deep Tier with Open Center	1THS -1 Tier Hard Square	FG -Frosted Glass FA -Frosted Acrylic CB -Cobalt Blue	CF V		26w	26w	26w	42w	42w	42w	70w	70w
			CF H		X	26w	26w	42w	42w	42w	270w	270w
			HID		39w	50w	50w	100w	150w	150w	175w	175w
			INC		50w	100w	100w	150w	200w	200w	300w	300w
 Soft Square Frosted Deep Tier with Open Center	1TSSFG -1 Tier Soft Square with Frosted Glass	Frosted "Soda Lime" Glass Standard	CF V			26w	42w	42w	42w	70w	70w	
			CF H			26w	42w	42w	242w	270w	270w	
			HID			50w	100w	150w	150w	175w	175w	
			INC			100w	150w	200w	200w	300w	300w	
 1/4" Semi-Flush Aluminum Ring and Glass Tier with Frosted Center	1TMRFG -1 Tier Metal Ring with Frosted Glass	White Disc, Frosted "Soda Lime" Glass Standard	CF V			26w	42w	42w	42w			
			CF H			26w	226w	42w	242w			
			HID			50w	100w	150w	150w			
			INC			100w	150w	200w	200w			
 Convex Frosted Glass Tier (12" or 14") specify	1CVT-dia -1 Convex Tier (SPECIFY DIAMETER)	FG -Frosted Glass FA -Frosted Acrylic	CF V						42w			
			CF H						242w			
			HID						150w			
			INC						200w			
 Concave Descending Metal Tier/Rings	3CCMR -3 Concave Descending Metal Tier/Rings	BA -Brushed Aluminum PA -Polished Aluminum PB -Polished Brass WR -Gloss White	CF V						42w			
			CF H						242w			
			HID						150w			
			INC						200w			
 Deco Cone Dual Reflectors Finished to Specification	DEC -Reflector with Insert Center Cone	CENTER FINISH CA -Clear Alzak CB -Cobalt Blue TG -Gem Green CR -Crimson	CF V						42w			
			CF H						242w			
			HID						150w			
			INC						200w			
 Turbo Louver with Center Cone Extended 1/2"	TURBO -Specular Alzak Turbo Louver, Center Cone	CENTER FINISH CA -Clear Alzak CB -Cobalt Blue TG -Gem Green CR -Crimson	CF V						42w			
			CF H						242w			
			HID						150w			
			INC						200w			
 Sandblasted Pyrex Tube	FGCY3 -3" Deep Pyrex FGCY5 -5" Deep Pyrex	Sandblasted Pyrex Tube	CF V	X	26w	26w	26w	42w				
			CF H	X	26w	26w	26w	42w				
			HID	X	39w	50w	50w	100w				
			INC	50w	50w	100w	100w	150w				

Dimensions shown are nominal. Spectrum Lighting is continually improving products and reserves the right to make changes that will not alter performance or appearance with or without written notice.

CHART ABOVE SHOWS MAX WATTAGE/APERTURE and TRIM AVAILABILITY. H: Horizontal Fluorescent, V: Vertical Fluorescent.

Note: Soda Lime Glass is standard for all Glass Tiers. Some tiered trims may be special ordered in Borosilicate Glass or Acrylic










Note: Wattages listed in **RED** indicate **STOCKED TRIMS**. 12" and larger trims may be available as special orders, please consult the factory.



**SPECTRUM
DECORATIVE TRIM
QUICK SPECIFICATION
CHART**

**TRIM
SERIES**

For Retro-fit into existing Spectrum fixtures, check with factory for feasibility.

SHAPE	MODEL #	FINISH	3.5" AG/DG	4"	5"	6"	7"	8"	9"	10"	2x2
 Sandblasted Acrylic Tube	FACY3 -3" Deep Acrylic FACY5 -5" Deep Acrylic	Sandblasted Acrylic Tube	CF V		26w	26w	26w	42w			
			CF H		26w	26w	26w	42w			
			HID		39w	50w	50w	100w			
			INC		50w	100w	100w	150w			
 Small Polished Spun Aluminum Tier	1TMR -Small Polished Tier	BA -Brushed Aluminum PA -Polished Aluminum PB -Polished Brass WR -Gloss White	CF V	X							
			CF H	X							
			HID	39w							
			INC	50w							
 Cluster Crystal Grouping	CE1 -Small Crystal Cluster Grouping Tier	BA -Brushed Aluminum PA -Polished Aluminum PB -Polished Brass GW -Gloss White	CF V	X							
			CF H	X							
			HID	39w							
			INC	50w							
 Spun Aluminum Rings with Frosted Acrylic Tier and Grill	3TMRGRILL -Spun Aluminum Rings with Perforated Ring, Grill and Frosted Acrylic Tier	MW -Matte White MB -Matte Black PT -Platinum GW -Gloss White	CF V				42w	42w	42w		
			CF H				42w	42w	242w		
			HID				100w	100w	150w		
			INC				150w	150w	200w		
 Semi-recessed Stepped Ring Trim fixture.	STR -Stepped Decorative Aluminum Trim TP -Tamper Proof	GW -Gloss White MW -Matte White MB -Matte Black BZ -Bronze *Lenses also available	CF V						42w		
			CF H						242w		
			HID						150w		
			INC						200w		
 Deep Acrylic Frosted Front Plate	FAI/CAO -3.25" Deep Dual Acrylic	GW -Gloss White BA -Brushed Aluminum MB -Matte Black CC -Custom Color	CF V			26w	26w				
			CF H			26w	26w				
			HID			50w	50w				
			INC			100w	100w				
 Cast Acrylic Element	FA1.25 -1.25" Deep Frosted Acrylic	GW -Gloss White BA -Brushed Aluminum MB -Matte Black CC -Custom Color	CF V					42w			
			CF H					42w			
			HID					X			
			INC					X			
 Opalescent Decorative Glass Trim	AR42FG -Opalescent Glass Trim	Opalescent Glass Trim	CF V	X							
			CF H	X							
			HID	X							
			INC	65w							
 Frosted Flared Cone Trim	FGPY -Frosted Glass Flared Cone FAPY -Frosted Acrylic Flared Cone	PF -Polished Flange BB -Black Micro Baffle WB -White Micro Baffle	CF V			42w					
			CF H			26w					
			HID			X					
			INC			X					
 Hand Blown Glass Insert	FG7(-) -Cased Frosted Glass (Specify Finish) FG7** -Clear Glass	WH -White AO -Amber/Orange SB -Sapphire Blue FR -Fire Red FF -Full Frost	CF V					57w			
			CF H					X			
			HID					X			
			INC					X			
 Hand Blown Glass Insert for 2' x 2' Grid Ceiling	GC -Grid Ceiling with Matte White Pan FG7(-) -Cased Frosted Glass (Specify Finish) FG7** -Clear Glass	WH -White AO -Amber/Orange SB -Sapphire Blue FR -Fire Red FF -Full Frost	CF V								57w
			CF H								X
			HID								X
			INC								X

Dimensions shown are nominal. Spectrum Lighting is continually improving products and reserves the right to make changes that will not alter performance or appearance with or without written notice.

CHART ABOVE SHOWS MAX WATTAGE/APERTURE and TRIM AVAILABILITY. H: Horizontal Fluorescent, V: Vertical Fluorescent.

Note: Soda Lime Glass is standard for all Glass Tiers. Some tiered trims may be special ordered in Borosilicate Glass or Acrylic

Note: Wattages listed in **RED** indicate **STOCKED TRIMS**. 12" and larger trims may be available as special orders, please consult the factory.



994 Jefferson Street, Fall River, MA 02721 508.678.2303 FAX 508.678.2260

