

TRACK SERIES

Adaptor must match track-use this chart to select adaptor.
adaptor will be wired to track head.

	1 CIRCUIT	2 CIRCUIT		3 CIRCUIT	
	1 NEUTRAL		2 NEUTRAL		1 NEUTRAL
SERIES NUMBER	GES	GET	TEK	HTEK	XTS
Voltage	120	120	120	277	120
REQUIRED ADAPTOR	GES66	GES66	TEK100	HTEK100	GA100
LV ADAPTOR	GEST66	GEST66			

	1 CIRCUIT	2 CIRCUIT		3 CIRCUIT	
	1 NEUTRAL		2 NEUTRAL		1 NEUTRAL
SERIES NUMBER	GES	GET	TEK	HTEK	XTS
Voltage	120	120	120	277	120
TRACK LENGTHS	SPECIFY FINISH: Natural Aluminum (-1) Available for track lengths only; Black (-2): White (-3)				
4' Length	GES204	GET304	TEK44	HTEK44	XTS44
8' Length	GES208	GET308	TEK48	HTEK48	XTS48
12' Length	GES212	GET312	TEK412	HTEK412	XTS412
ACCESSORIES	SPECIFY FINISH: Black (-2): White (-3)				
Live End	GES11	GET11	TEK11	TEK11	XTS11
End Cap	GES41	GET41	TEK41	TEK41	XTS41
Linear Coupler	GES21	GET21	TEK21	TEK21	XTS21
Conduit End Feed	GES13	GET13	N/A	N/A	N/A
Live Middle Feed	GES14	GET14	TEK14	TEK14	XTS14
Feedable L	GES34	GET34	TEK34	TEK34	XTS34
Feedable T	GES40	GET40	TEK40	TEK40	XTS40
Feedable X	GES38	GET38	TEK38	TEK38	XTS38
Floating Feed	GES67	GET67	N/A	N/A	N/A
Conduit Continuation	GES13 & GES16	GET13 & GET16	N/A	N/A	N/A
Flex Connect	GES23	GET23	N/A	N/A	N/A
Monopoint***	GES70	GES70	N/A	N/A	N/A
Low Voltage Adaptor	GEST66	GEST66	N/A	N/A	N/A
TRACK MOUNTING	SPECIFY FINISH: Black (-2): White (-3)				
Stem Kit	GEA37 / ()	GEA37 / ()	SPUS / ()	SPUS / ()	SPUS / ()
End Feed Suspension	GEA11	GEA11	SP4E	SP4E	SP4E
Universal Feed Suspension	GEA10	GEA10	SP4P	SP4P	SP4P
L Feed Suspension	N/A	N/A	SP4L	SP4L	SP4L
T Feed Suspension	N/A	N/A	SP4T	SP4T	SP4T
X Feed Suspension	N/A	N/A	SP4X	SP4X	SP4X
TBAR Clip	GEA7	GEA7	SPBT12	SPBT12	SPBT12
Cable Clip	N/A	N/A	SPB10	SPB10	SPB10
Threaded Rod Mounting Clip	GEA6	GEA6			
Ceiling Cup for Cable Rod*	N/A	N/A	SPB30	SPB30	SPB30
Cable Lengths*	N/A	N/A	SPB34 (*)	SPB34 (*)	SPB34 (*)
SPECIFY FINISH: Black (-2): White (-3) / () : SPECIFY STEM LENGTH / (*) : SPECIFY CABLE LENGTH, 5" OR 9"					

Dimensions shown are nominal. Spectrum Lighting is continually improving products and reserves the right to make changes that will not alter performance or appearance with or without written notice.



PROJECT:	TYPE:
CAT.	



GLOBAL ECO TRACK

1 CIRCUIT / 1 NEUTRAL
2 CIRCUIT / 1 NEUTRAL


USE GES66 ADAPTOR

GES/GET SERIES

USE GES66 ADAPTOR FOR LOW WATTAGE

COMPONENTS OF GES / GET TRACK INSTALLATION

TYPICAL TRACK INSTALLATIONS



- Architectural Grade
- ISO 9002 Quality
- Low Profile, easy installation
- Integral Suspension Rail
- Copper connector / polycarbonate components
- UL Listed.
- Choose 1 or 2 Circuit

DESCRIPTION	DESCRIPTION	DESCRIPTION
	1 CIRCUIT	2 CIRCUIT
4' TRACK	GES204	GES304
8' TRACK	GES208	GES308
12' TRACK	GES212	GES312

SPECIFY FINISH: Natural Aluminum (-1) Available for track lengths only; Black (-2); White (-3)

ACCESSORIES FOR GES / GET TRACK INSTALLATION

LIVE END
1 CIRCUIT GES11
2 CIRCUIT GET11



FLEXIBLE CONNECTOR
1 CIRCUIT GES23
2 CIRCUIT GET23



FEDDABLE "X" CONNECTOR
1 CIRCUIT GES38
2 CIRCUIT GET38



DEAD END
1 CIRCUIT GES41
2 CIRCUIT GET41



FEDDABLE "L" CONNECTOR
1 CIRCUIT GES34
2 CIRCUIT GET34



LIVE MIDDLE FEED
1 CIRCUIT GES14
2 CIRCUIT GET14



LINEAR END
1 CIRCUIT GES21
2 CIRCUIT GET21



FEDDABLE "T" CONNECTOR
1 CIRCUIT GES40
2 CIRCUIT GET40



MONO POINT
1 CIRCUIT GES70
SPECIFY ADAPTOR GES66



SPECIFY FINISH: Black (-2); White (-3)

MOUNTING ACCESSORIES FOR GLOBAL ECO TRACK

STEM KIT for GES/GET
GEA37 ()
Specify Stem Length
12", 18", 24", 28"



T-BAL CLIP
GEA7



END FEED SUSPENSION
GEA11



UNIVERSAL SUSPENSION
GEA10



OTHER ACCESSORIES NOT SHOWN

DESCRIPTION	DESCRIPTION	DESCRIPTION
	1 CIRCUIT	2 CIRCUIT
Conduit End Feed	GES13	GET13
Outlet Box Cover	GES15	GES15
Floating Feed	GES67	GET67

SPECIFY FINISH: Black (-2); White (-3)



Dimensions shown are nominal. Spectrum Lighting is continually improving products and reserves the right to make changes that will not alter performance or appearance with or without written notice.



PROJECT:

TYPE:

CAT.



994 Jefferson Street, Fall River, MA 02721 508.678.2303 FAX 508.678.2260

TEK TRACK

2 CIRCUIT / 2 NEUTRAL
120 VOLT


USE TEK100 ADAPTOR

TEK
SERIES

USE GES66 ADAPTOR FOR LOW WATTAGE

COMPONENTS OF TEK TRACK INSTALLATION

TYPICAL TRACK INSTALLATIONS



- 2 Circuit/2 Neutral Track
- Architectural Grade.
- ISO 9002 Quality
- Integral Suspension rail.
- Copper connector/polycarbonate components
- UL Listed.

DESCRIPTION	PART #	PART #
	TRACK	RECESSED
4' TRACK	TEK44	FTP44
8' TRACK	TEK48	FTP48
12' TRACK	TEK412	FTP412

SPECIFY FINISH: Natural Aluminum (-1) Available for track lengths only; Black (-2); White (-3)

ACCESSORIES FOR TEK TRACK INSTALLATION

LIVE END
TEK11



FEEDABLE "L"
CONNECTOR
TEK34



LIVE MIDDLE FEED
TEK14



DEAD END
TEK41



FEEDABLE "T"
CONNECTOR
RIGHT-TEK39, LEFT-TEK40



MONO POINT
1CIRCUIT GES70
SPECIFY ADAPTOR GES66



LINEAR END
TEK21



FEEDABLE "X"
CONNECTOR
TEK38



SPECIFY FINISH: Black (-2); White (-3)

MOUNTING ACCESSORIES FOR TEK TRACK

STEM KIT for GES/GET
SPUS ()
Specify Stem Length
12", 18", 24", 28"



T-BAL CLIP
SKBT12



CABLE CLIP
SKB10



UNIVERSAL
SP4P



END FEED
SUSPENSION
SP4E



OTHER ACCESSORIES NOT SHOWN

DESCRIPTION	PART #
Ceiling Cup Cable	SKB30
*Cable Lengths (*5", 9")	SKB34 (*)

SPECIFY FINISH: Black (-2); White (-3)



Dimensions shown are nominal. Spectrum Lighting is continually improving products and reserves the right to make changes that will not alter performance or appearance with or without written notice.



PROJECT:

TYPE:

CAT.



994 Jefferson Street, Fall River, MA 02721 508.678.2303 FAX 508.678.2260

GLOBAL HTEK TRACK

2 CIRCUIT / 2 NEUTRAL
277 VOLT


USE HTEK100 ADAPTOR

**HTEK
SERIES**

USE GES66 ADAPTOR FOR LOW WATTAGE

COMPONENTS OF HTEK TRACK INSTALLATION

TYPICAL TRACK INSTALLATIONS



- Architectural Grade.
- ISO 9002 Quality
- Low Profile, easy installation
- Integral Suspension rail.
- Copper connector/polycarbonate components
- UL Listed.

DESCRIPTION	PART #	PART #
	TRACK	RECESSED
4' TRACK	HTEK44	FTP44
8' TRACK	HTEK48	FTP48
12' TRACK	HTEK412	FTP412

SPECIFY FINISH: Natural Aluminum (-1) Available for track lengths only; Black (-2); White (-3)

ACCESSORIES FOR HTEK TRACK INSTALLATION

LIVE END
TEK11



FEEDABLE "L" CONNECTOR
TEK34



LIVE MIDDLE FEED
TEK14



DEAD END
TEK41



FEEDABLE "T" CONNECTOR
RIGHT-TEK39, LEFT-TEK40




MONO POINT
1CIRCUIT GES70
SPECIFY ADAPTOR GES66



LINEAR END
TEK21



FEEDABLE "X" CONNECTOR
TEK38



SPECIFY FINISH: Black (-2); White (-3)

MOUNTING ACCESSORIES FOR TEK TRACK

STEM KIT for GES/GET SPUS ()
Specify Stem Length
12", 18", 24", 28"



T-BAL CLIP
SKBT12



CABLE CLIP
SKB10



UNIVERSAL
SP4P



END FEED SUSPENSION
SP4E



OTHER ACCESSORIES NOT SHOWN

DESCRIPTION	PART #
Ceiling Cup Cable	SKB30
*Cable Lengths (*5", 9")	SKB34 (*)

SPECIFY FINISH: Black (-2); White (-3)



Dimensions shown are nominal. Spectrum Lighting is continually improving products and reserves the right to make changes that will not alter performance or appearance with or without written notice.



PROJECT:

TYPE:

CAT.



994 Jefferson Street, Fall River, MA 02721 508.678.2303 FAX 508.678.2260

XTS PRO TRACK SYSTEM

3 CIRCUIT / 1 NEUTRAL

120 VOLT


USE GA100 ADAPTOR

**XTS
SERIES**

USE GES66 ADAPTOR FOR LOW WATTAGE

COMPONENTS OF XTS TRACK INSTALLATION

TYPICAL TRACK INSTALLATIONS



- 3 Circuit/1 Neutral Track
- Architectural Grade.
- ISO 9002 Quality
- Integral Suspension rail.
- Copper connector/polycarbonate components
- UL Listed.

DESCRIPTION	PART #	PART #
	TRACK	RECESSED
4' TRACK	XTS44	FTP44
8' TRACK	XTS48	FTP48
12' TRACK	XTS412	FTP412

SPECIFY FINISH: Natural Aluminum (-1) Available for track lengths only; Black (-2); White (-3)

ACCESSORIES FOR HTEK TRACK INSTALLATION

LIVE END
XTS11



FEEDABLE "L" CONNECTOR
XTS34



LIVE MIDDLE FEED
XTS4



DEAD END
XTS12



FEEDABLE "T" CONNECTOR
RIGHT-XTS39, LEFT-XTS40



MONO POINT
1CIRCUIT **GES70**
SPECIFY ADAPTOR **GES66**



LINEAR END
XTS21



FEEDABLE "X" CONNECTOR
XTS38



SPECIFY FINISH: Black (-2); White (-3)

MOUNTING ACCESSORIES FOR HTEK TRACK

STEM KIT for GES/GET SPUS ()
Specify Stem Length
12", 18", 24", 28"



T-BAL CLIP
SKBT12



CABLE CLIP
SKB10



UNIVERSAL
SP4P



END FEED SUSPENSION
SP4E



OTHER ACCESSORIES NOT SHOWN

DESCRIPTION	PART #
Ceiling Cup Cable	SKB30
*Cable Lengths (*5", 9")	SKB34 (*)

SPECIFY FINISH: Black (-2); White (-3)



Dimensions shown are nominal. Spectrum Lighting is continually improving products and reserves the right to make changes that will not alter performance or appearance with or without written notice.



PROJECT:

TYPE:

CAT.



994 Jefferson Street, Fall River, MA 02721 508.678.2303 FAX 508.678.2260