



**SHIP LIGHT**  
**INCANDESCENT**  
 RUSTIC SERIES

PROJECT: \_\_\_\_\_

QUANTITY: \_\_\_\_\_ TYPE: \_\_\_\_\_



PY1824INC  
 PT - Platinum Silver  
 MWI - Matte White Interior



PY1824INC  
 RD - Red Baron  
 MWI - Matte White Interior



PY1824INC  
 MW - Matte White  
 FCI - Fixture Color Interior



PY1824INC  
 MB - Matte Black  
 MWI - Matte White Interior

| SERIES    | ACCESSORIES <sup>1</sup>   | MOUNTING <sup>3</sup>   | INTERIOR <sup>5</sup>   | FINISH <sup>5</sup>   | WET KIT               |
|-----------|--|---|---|---|-----------------------|
| PY1824INC | ENCLOSURES   |   | CEILING MOUNT   |   | WLKA Wet Location Kit |
|           | <b>FJ1<sup>2</sup></b> 3"x6.5" Frosted Glass<br><b>GJ1</b> 3"x6.5" Clear Glass<br><b>CG1</b> Cast Wire Guard | <b>HM_4</b> Hang Straight Pendant<br><b>AT_4</b> Adjustable Length Hang<br><b>PM_4</b> Straight Pendant<br><b>CD_4</b> Pendant/Straight Mount<br><b>CM_4</b> Cord and Cable Mount<br><b>CM_4</b> Cord Mount | <b>MW1<sup>6</sup></b> Matte White<br><b>CCI</b> Custom Color<br><b>FCI</b> Fixture Color Interior<br><br>See Page 4 for Full Range of Color Options (83-90083) | <b>MW1<sup>6</sup></b> Matte White<br><b>MB1<sup>6</sup></b> Matte Black<br><b>PT1<sup>6</sup></b> Platinum Silver<br><b>CC</b> Custom Color<br><br>See Page 4 for Full Range of Color Options (83-90083) |                       |

EXAMPLE: PY1824INC/FJ1/HM36/MWIMB


**NOTES:**  
 1 See Enclosures & Guards Page for Wire Guards and Additional Options 2 Standard Enclosure 3 See Mounting Pages Options and Details on Components and Finishes  
 4 Specify Length in Inches: See Mounting Page for Available Lengths 5 See Color Page for More Options/Consult Factory for Special Finishes 6 Standard Interior Finish





**SHIP LIGHT**  
**INCANDESCENT**  
**SPECIALTY SERIES**

**HOUSING DIMENSIONS**



| A        | B        |
|----------|----------|
| 18.6     | 21.4     |
| 472.4 mm | 543.6 mm |

**APPLICATION**

Ship Light fixture evokes classic nautical fixture design.

**FEATURES**

Spectrum Lighting's RLM Classics are inspired by vintage lighting fixtures redesigned with modern LED light sources and materials. The wide range of options for illumination, mounting, and finishes allows for creative fixture specification and design. Fixtures may be pendant mounted. LED module & driver are serviceable for future replacement.

**FINISH**

Multi-stage polyester powder-coat process applied on our dedicated paint lines. Variety of standard and custom finishes are available. All exposed materials are chromate pretreated to resist corrosion.

**ELECTRONICS**

E26 Edison medium base 120V socket for incandescent or LED lamps.

**CONSTRUCTION**

Fixture shades are spun in our factory from 0.063 high purity aluminum.

**CODE COMPLIANCE**

BAA compliant. ETL certified to meet US and Canadian standards. Suitable for dry or damp locations. Wet Location Option. Manufactured and tested to UL standards No. 1598/8750.

**ENCLOSURES**

**FJ1**  
3" FROSTED GLASS



**GJ1**  
3" CLEAR GLASS



**ENCLOSURE WIRE GUARDS**

**CG1**  
3" CAST GUARD



# MOUNTING & ACCESSORIES

SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES. CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION. NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.



## CEILING MOUNTING

|   |  |   |  |  |
|---|--|---|--|--|
| <p><b>HM*</b><br/>HANG STRAIGHT<br/>45° SWIVEL 5/8" OD STEM - 3/8" IP</p> <p>ORDER: HM (Length)<br/>SPECIFY LENGTH:<br/><b>HM3</b> - 3"    <b>HM24</b> - 24"<br/><b>HM6</b> - 6"    <b>HM36</b> - 36"<br/><b>HM12</b> - 12"    <b>HM48</b> - 48"<br/><b>HM18</b> - 18"    <b>HM72</b> - 72"<br/><b>HMLC(XX)</b><br/>Custom Length<br/>(Specify in Inches)</p> | <p><b>PM*</b><br/>RIGID PENDANT MOUNT<br/>RIGID 5/8" OD STEM - 3/8" IP</p> <p>ORDER: PM (Length)<br/>SPECIFY LENGTH:<br/><b>PM3</b> - 3"    <b>PM24</b> - 24"<br/><b>PM6</b> - 6"    <b>PM36</b> - 36"<br/><b>PM12</b> - 12"    <b>PM48</b> - 48"<br/><b>PM18</b> - 18"    <b>PM72</b> - 72"<br/><b>PMLC(XX)</b><br/>Custom Length<br/>(Specify in Inches)</p> | <p><b>AT**</b><br/>HANG STRAIGHT ALL THREAD<br/>45° SWIVEL 5/8" OD STEM - 1/4" IP</p> <p>ORDER: AT (Length)<br/>SPECIFY LENGTH:<br/><b>AT12</b> - 12"    <b>AT48</b> - 48"<br/><b>AT24</b> - 24"    <b>AT60</b> - 60"<br/><b>AT36</b> - 36"    <b>AT72</b> - 72"<br/><small>(FIELD CUTTABLE PIPE<br/>CUT THE COUPLER (IF SHIPPED)<br/>SHUN THREADED PIPE<br/>SUPPLY COUPLER OVER THREADED PIPE)</small></p> | <p><b>CD</b><br/>CORD / CABLE MOUNT<br/>SJ CORD WITH 1/16 SS CABLE</p> <p>ORDER: CD (Length)<br/>SPECIFY LENGTH:<br/><b>CD36</b> - 36"<br/><b>CD72</b> - 72"<br/><b>CD144</b> - 144"<br/><b>CDLC(XX)</b><br/>Custom Length<br/>(Specify in Inches)</p> | <p><b>CM</b><br/>CORD MOUNT<br/>SJ CORD WITH STRAIN RELIEF</p> <p>ORDER: CM (Length)<br/>SPECIFY LENGTH:<br/><b>CM36</b> - 36"<br/><b>CM72</b> - 72"<br/><b>CM144</b> - 144"<br/><b>CMLC(XX)</b><br/>Custom Length<br/>(Specify in Inches)</p> |
|---|--|---|--|--|

\*MAXIMUM ONE PIECE STEM LENGTH IS 72". \*\*MAXIMUM ONE PIECE STEM LENGTH IS 36". LONGER LENGTHS ARE POSSIBLE USING MULTIPLE STEMS AND COUPLERS.  
\*\*ORDER IN 12" INCREMENTS. ODD SIZES MAY BE FIELD CUT

# COLOR OPTIONS - POWDER COAT PAINT FINISHES

NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL.  
SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.



## STANDARD CORD / STEM / CANOPY FINISHES

| FIXTURE COLOR                            | STANDARD CORD COLOR | STANDARD CANOPY / STEM COLOR |
|--|---------------------|------------------------------|
| Matte White, Textured White              | Matte White         | Matte White                  |
| Gloss White                              | Matte White         | Gloss White                  |
| Matte Black, Gloss Black, Textured Black | Matte Black         | Matte Black                  |
| All Others                               | Matte Black         | Same Color as Fixture        |
| Custom Color                             | Contact Factory     | Contact Factory              |

## PAINT TIMES

| TIER                            | COST            | AVERAGE PAINT TIME* |
|---------------------------------|-----------------|---------------------|
| Tier 1 - Standard Finishes      | \$              | ⓪                   |
| Tier 2 - Typical Finishes       | \$\$            | ⓪⓪                  |
| Tier 3 - Special Metal Finishes | \$\$\$          | ⓪⓪⓪                 |
| Custom Color                    | Contact Factory | Contact Factory     |

\*CONTACT FACTORY FOR SPECIFIC PRODUCT LEAD TIMES


## TIER 1 - STANDARD FINISHES



## TIER 2 - TYPICAL FINISHES



## TIER 3 - SPECIAL METAL FINISHES



## CUSTOM COLOR FINISHES

CONTACT FACTORY

**CC**  
Custom Color



\*UNAVAILABLE FOR WET LOCATION