



WAREHOUSE DOME WITH DOOR

CLASSIC SERIES / INCANDESCENT



WD-INC - INTERIOR ONLY / DAMP LOCATION

APPLICATION

Warehouse Dome is designed for decorative general illumination. Domed deco lens glows softly. INC Series is designed for covered or indoor dry/damp locations.

FEATURES

Spectrum Lighting's RLM Classics are reproductions of Traditional lighting fixtures reimagined with modern INC light sources and materials. The wide range of options for illumination, mounting, enclosures, guards and finishes allows for creative fixture specification and design. Available in two sizes.

FINISH

Multi-stage polyester powder-coat process applied on our dedicated paint lines. Variety of standard and custom finishes are available.

ELECTRONICS


E26 Edison medium base 120V socket for incandescent or LED lamps. Contact factory for other available socket options.

CONSTRUCTION

Fixture shades are spun in our factory from 0.063 high purity aluminum. Mounting Hub is Die-Cast aluminum. Lens is formed matte white acrylic.

CODE COMPLIANCE

ARRA Compliant. ETL/CSA listed for dry/damp locations. Manufactured and tested to UL standards No. 1598/8750.



Dimensioned with **WS1812INC**

SERIES	A	B	C
WD1611INC	11.8	4.0	16.0
WD1812INC	14.6	4.7	17.8

SERIES	LENS	MOUNTING ¹	EXTERIOR FINISH
WD1611INC WD1812INC	DR16 LD16WA	WALL MOUNT	GW Gloss White MW Matte White MB Matte Black BZ Bronze PT Platinum Silver GA Galvanized CH Charcoal SN Sun Gold EG Evergreen BL Blue Streak AY Aero Yellow RD Red Baron CO Copper Metallic CC Custom Color
	DR18 LD18WA	CP6 ¹ Wall Pipe Interface CP3 CP6 Decorative Cover PA ² Mounting Arm Style CEILING MOUNT HM ³ Hang Straight Pendant HMAT ³ Adjustable Length Hang Straight Pendant PM ³ Pendant/Straight Mount HC Hook/Cord CD ³ Cord and Cable Mount CM ³ Cord Mount CHN ³ Chain Mount	

EXAMPLE: WD1812INC DR18LD18WA HM36CH

NOTES:
 1 See Mounting Pages Options and Details on Components and Finishes 2 See Mounting Page for Available Arm Options 3 Specify Length in Inches
 4 See Color Page for More Options/Consult Factory for Special Finishes

Dimensions and values shown are nominal. Spectrum Lighting continually works to improve products and reserves the right to make changes which may alter the performance or appearance of products.



PROJECT:	TYPE:
CAT. NO.:	










SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES, CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.
NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR WALL MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.

WALL MOUNT CANOPIES




CP6 - MOUNTS DIRECTLY TO WALL OR OCTAGON STYLE J-BOX



WALL MOUNTING PIPES



CUSTOMIZED WALL MOUNTING PIPES



Dimensions and values shown are nominal. Spectrum Lighting continually works to improve products and reserves the right to make changes which may alter the performance or appearance of products.

PROJECT:	TYPE:
CAT. NO.:	







SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES, CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.
NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR CEILING MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.

CEILING MOUNT CANOPIES - CANOPIES MOUNT TO OCTAGON STYLE J-BOX


HM - HANG STRAIGHT



PM - RIGID PENDANT MOUNT



CM - CORD MOUNT



MOUNTING TYPES

HM* HANG STRAIGHT

45° SWIVEL 1/2" STEM - 3/8" NPT



ORDER: **HM** (Length)

SPECIFY LENGTH:


HM3 - 3" **HM24** - 24"
HM6 - 6" **HM36** - 36"
HM12 - 12" **HM48** - 48"
HM18 - 18" **HM72** - 72"

HMLC(XX)

Custom Length
(Specify in Inches)

HMAT* HANG STRAIGHT ALL THREAD

45° SWIVEL 1/2" STEM - 1/4" IP




ORDER: **HMAT** (Length)

SPECIFY LENGTH:

HMAT12 - 12"
HMAT24 - 24"
HMAT36 - 36"
HMAT48 - 48"
HMAT72 - 72"


HMATLC(XX)

Custom Length
(Specify in Inches)



PM* RIGID PENDANT MOUNT

RIGID 1/2" STEM - 3/8" NPT



ORDER: **PM** (Length)

SPECIFY LENGTH:

PM3 - 3" **PM24** - 24"
PM6 - 6" **PM36** - 36"
PM12 - 12" **PM48** - 48"
PM18 - 18" **PM72** - 72"

PMLLC(XX)

Custom Length
(Specify in Inches)

HC HOOK / CORD OPTIONAL PLUG



ORDER: **HCP** (Length)

SPECIFY LENGTH:

HC36 - 36"
HC72 - 72"
HC144 - 144"

HCLC(XX)
Custom Length
(Specify in Inches)

PLUG

LP120-120V Twist Lock
LP277-277V Twist Lock

CD CORD / CABLE MOUNT

SJ CORD WITH 1/16 SS CABLE



ORDER: **CD** (Length)

SPECIFY LENGTH:

CD36 - 36"
CD72 - 72"
CD144 - 144"

CDLC(XX)
Custom Length
(Specify in Inches)

CM CORD MOUNT

SJ CORD WITH STRAIN RELIEF



ORDER: **CM** (Length)

SPECIFY LENGTH:

CM36 - 36"
CM72 - 72"
CM144 - 144"

CMLC(XX)

Custom Length
(Specify in Inches)

CHN CHAIN MOUNT

SJ CORD / DECORATIVE CHAIN



ORDER: **CHN** (Length)

SPECIFY LENGTH:

CHN36 - 36"
CHN72 - 72"
CHN144 - 144"

CHNLC(XX)

Custom Length
(Specify in Inches)

*MAXIMUM ONE PIECE STEM LENGTH IS 72". LONGER LENGTHS ARE POSSIBLE USING MULTIPLE STEMS AND COUPLERS.

MOUNTING FINISH

Standard Canopy / Stem or Cord mounting finish is matte white. Black fixtures receive matte black mounting finish, silver fixture receive silver mounting finish. Custom colors and fixture color canopy and stem are available upon request.

MOUNTING COMPONENTS FINISH

FIXTURE COLOR	CANOPY / STEM / CORD COLOR
Matte White, Textured White	Matte White
Matte Black, Textured Black, Bronze, Oil Rubbed Bronze	Matte Black
Platinum, Textured Silver, Silver	Silver
All Others	Matte White
Custom Color	Canopy / Stem Same Color as Fixture

Dimensions and values shown are nominal. Spectrum Lighting continually works to improve products and reserves the right to make changes which may alter the performance or appearance of products.



PROJECT:	TYPE:
CAT. NO.:	

