





COLLECTION OF EXTERIOR RATED WILDLIFE FRIENDLY LUMINAIRES



# WILDLIFE FRIENDLY LUMINAIRES



The invention of artificial lighting introduced endless possibilities for the future of our planet. The issue with artificial lighting, however is that in some cases it can have a big environmental impact on the natural world and the environment. Many animals are disoriented or unnecessarily drawn to artificial light, even plants and insects can be negatively affected. Light pollution is also caused by excessive or inefficient artificial light. Our new wildlife and dark sky friendly Envirolights product group was designed to help resolve these issues.

One specific case is sea turtle hatchlings. Sea turtle eggs are laid in the summer on warm sandy beaches. When the eggs hatch, the baby sea turtles all rise from the sand during a very specific time frame between 9pm and 5am. The reason sea turtles hatch at night is to not only avoid predators but so they can use the moons reflections in the water to guide them to the sea where they will spend the rest of their lives. Using artificial light near these nesting areas causes these hatchlings to get confused about whether to follow the artificial light or the moon light causing some to be led away from the ocean possibly causing them to die. Another similar case is that of birds that hunt or migrate at night and use the moon and stars to navigate. Artificial light can cause disorientation leading birds off course and possibly cause early or late migrations disrupting nesting and foraging. Consistently every year, many birds also die simply by crashing into buildings or structures that are unnecessarily lit or overly lit.

For this reason we at Spectrum Lighting are proud to present our all new Envirolights product group. Our team has worked hard over the last few years to provide lighting solutions to aid places around the country like Florida and its significant marine turtle conservation effort or places like Grand Canyon National Park which was officially certified as an International Dark Sky Park in 2019.

#### DOWNLIGHTS

#### CYLINDERS







**RLM CLASSICS** 

ENVIROLIGHTS CAN BE USED AT STATE PARKS, NATIONAL PARKS OR AREAS WHERE NOCTURNAL WILDLIFE OR DARK SKY ISSUES ARE OF CONCERN.

These products comply with the Florida Fish and Wildlife Conservation Commission guidelines and feature Amber LEDS, which are monochromatic with a narrow spectral bandwidth that only emits wavelengths between 560 and 625 nanometers. These products also comply with IDA Dark Sky approved criteria with employing warm tones and full shielding. They feature a static amber illumination or an optional 2-circuit led system. Circuit 1 produces 3000 Kelvin at 1000 lumens using white light 3-step MacAdam ellipse binning with 80+ cri and the second circuit is amber only at 500 lumens.



We are also proud to announce that these versatile and environmentally conscious products were an official selection for the 2020 IES progress report.







380 430 480 530 580 630 680 730 780 Wavelength (nm) Amber 30K

#### SPECTRAL POWER DISTRIBUTION COMPARISON

#### **PROPRIETARY 2-CIRCUIT LED SYSTEM**

The use of a dual circuit system allows for optional use of the amber light. For example with sea turtle nesting areas, amber light is not necessary for the entire year and can be switched from white light to amber light during nesting season for deep night illumination.

#### 1 Circuit - Static

The base products are offered with a static (590 nm) (17K) LED system for constant amber illumination. This looks like classic high pressure sodium but with a more consistent amber.


#### 2 Circuit - Dynamic/Switchable

The second and more advanced option has a dual circuit where circuit 1 is 30K white light and circuit 2 is amber. Switching can be done via manual switch, electronic time clock, Bluetooth switch or other easily programmable control systems.





## CYLINDER - CW0606



#### WALL MOUNT

WM WALL MOUNT EXTENSION



#### CEILING MOUNT

HANG STRAIGHT / PENDANT

HM / PM

SM SURFACE MOUNT



### ORDERING

HOUSING

HOUSING OPTIONS

OPTIONS

1. PICK HOUSING TYPE

SERIES
CW0606 - 6" Round x 6" High Cylinder

#### 2. CHOOSE EMITTER TYPE AND LUMEN PACKAGE

AMBER ONLY LUMENS TA5L - 500 Lm / Amber Only AMB - >560 NM

#### DUAL CIRCUIT LUMENS TD10L - CIR 1 1000 Lm / at 3000K CIR 2 500 Lm / Amber Only

CIR 2 500 Lm / Ami 30K - 3000K

3. CHOOSE DIMMING

DIMMING

**DX** - 1%, 0-10V, 120V/277V **DS2W1** - 1%, 0-10V, 120V

#### 4. PICK LENS TYPE, MOUNTING & OPTIONS

LENS

SO - Micro Prism Solite™ Lens
GL - Clear Glass Lens
FG - Frosted Glass Lens

WALL MOUNT

WM - Wall Mount

HM - Hang Straight

PM - Rigid Pendant Mount

SM - Surface Mount

FINISH

MW / MB / PT - Matte White / Matte Black / Platinum Silver (More Colors Available) CC - Custom Color

#### ORDER EXAMP

#### CW0606 / TA5LAMBDX / SOHM36MW


HOUSING HOUSING OPTIONS TRIM OPT





## **RLM CLASSICS - WAREHOUSE SHADE**





#### WALL MOUNT

PA\_ MOUNTING ARM STYLE



**CEILING MOUNT** 



WS1611 SHOWN WITH CP106PA23

WS1611 SHOWN WITH CP13PM

### ORDERING

	2. CHOOSE EMITTER TYPE AND LUMEN PACKAGE					
	LUMENS	LUMENS				
	TA5L - 500 Lm / Amber Only	TD10L - CIR 1 1000 Lm / at 3000K				
	AMB - >560 NM	CIR 2 500 Lm / Amber Only				
	<b>30K -</b> 3000K					
	3. CHOOSE DIMMING					
	DIMMING					
1	<b>DX</b> - 1%, 0-10V, 120V/277V					
	<b>D\$2W1</b> - 1%, 0-10V, 120V					
	IFZ - 4 FIOSIEU DOITIE					
	TF2 - 4" Frosted Dome					
	<b>IG2 -</b> 4" Dome Wire Guard					
	TG2 - 4" Dome Wire Guard					
	TG2 - 4" Dome Wire Guard MF2 - 4" Frosted Mini					
	TG2 - 4" Dome Wire Guard MF2 - 4" Frosted Mini MG2 - 4" Short Wire Guard					
	TG2 - 4" Dome Wire Guard MF2 - 4" Frosted Mini MG2 - 4" Short Wire Guard FJ2 - 4" Frosted Tall	CELING MOUNT				
	TG2 - 4" Dome Wire Guard         MF2 - 4" Frosted Mini         MG2 - 4" Short Wire Guard         FJ2 - 4" Frosted Tall         FG2 - 4" Tall Wire Guard	CELING MOUNT CP13 - Large Driver Canopy				
	TG2 - 4" Dome Wire Guard MF2 - 4" Frosted Mini MG2 - 4" Short Wire Guard FJ2 - 4" Frosted Tall FG2 - 4" Tall Wire Guard WALL MOUNT					
	TG2 - 4" Dome Wire Guard         MF2 - 4" Frosted Mini         MG2 - 4" Short Wire Guard         FJ2 - 4" Frosted Tall         FG2 - 4" Tall Wire Guard         WALL MOUNT         CP106 - Large Driver Canopy	CP13 - Large Driver Canopy				
	TG2 - 4" Dome Wire Guard         MF2 - 4" Frosted Mini         MG2 - 4" Short Wire Guard         FJ2 - 4" Frosted Tall         FG2 - 4" Tall Wire Guard         WALL MOUNT         CP106 - Large Driver Canopy         CP6/RMD - Remote Mount Driver	CP13 - Large Driver Canopy HM - Hang Straight				
	TG2 - 4" Dome Wire Guard         MF2 - 4" Frosted Mini         MG2 - 4" Short Wire Guard         FJ2 - 4" Frosted Tall         FG2 - 4" Tall Wire Guard         WALL MOUNT         CP106 - Large Driver Canopy         CP6/RMD - Remote Mount Driver         PA Mounting Arm Style	CP13 - Large Driver Canopy HM - Hang Straight				

CC - Custom Color

#### WS1611 / TA5LAMBDX / TF2CP13HM36MWIMW

HOUSING HOUSING OPTIONS

TRIM OPTIONS




## DOWNLIGHTS

**AVAILABLE HOUSING TYPES** 



4.8



TRIM TYPES

RDD4F - Downlight Module



SDD4F - Downlight Module








3.8 96.5 mn

SS4MR - Remodel Construction





A B 3.8 10.1 96.5 mm 259.1 4.4 117.8 r 127.0

RDD4N - Downlight Module





## ORDERING

	ROUND	SQUARE				
	SR4MO - New Construction	SS4MO - New Construction				
5	SR4MR - Remodel Construction SS4MR - Remodel Construction					
	2. CHOOSE EMITTER TYPE AND LUMEN PACKAGE					
p	AMBER ONLY	DUAL CIRCUIT				
	LUMENS	LUMENS				
	TA5L - 500 Lm / Amber Only	TD10L - CIR 1 1000 Lm / at 3000K CIR 2 500 Lm / Amber Only				
	3. CHOOSE DIMMING & MOUNTIN	IG (BATTERY OPTIONS AVAILABLE				
	DIMMING (AVAILABLE WITH AMBER)	DIMMING (AVAILABLE WITH DUAL CIRCUIT				
5	<b>DO10(1/2)</b> - 1%, 0-10V	<b>DS2W(1)</b> - 1%, 0-10V				
2	OPTIONS					
5	EB - Black Housing					
Ď	PR - Consult Factory					
HOUSING OPTIONS						
NIC I	MOUNTING H12 - 12" - 24" Expandable Bars					
	H12 - 12" - 24" Expandable Bars BH27 - 27" Solid Bars					
	CB24 - 24" C-Channel Bars					
	4. PICK TRIM TYPE ROUND RDD4F - Round (Flanged)	SQUARE SDD4F - Square (Flanged)				
	ROUND	SDD4F - Square (Flanged) SDD4N - Square (Flangeless)				
	ROUND RDD4F - Round (Flanged) RDD4N - Round (Flangeless)	SDD4F - Square (Flanged) SDD4N - Square (Flangeless)				
	ROUND         RDD4F - Round (Flanged)         RDD4N - Round (Flangeless)         5.CHOOSE CCT & TRIM OPTIONS	SDD4F - Square (Flanged) SDD4N - Square (Flangeless)				
6	ROUND RDD4F - Round (Flanged) RDD4N - Round (Flangeless) 5.CHOOSE CCT & TRIM OPTIONS AMBER ONLY CCT TA5L - 500 Lm / Amber Only	SDD4F - Square (Flanged) SDD4N - Square (Flangeless) DUAL CIRCUIT				
TDIM	ROUND RDD4F - Round (Flanged) RDD4N - Round (Flangeless) 5.CHOOSE CCT & TRIM OPTIONS AMBER ONLY CCT TA5L - 500 Lm / Amber Only FINISH	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K CIR 2 500 Lm / Amber Only				
	ROUND         RDD4F - Round (Flanged)         RDD4N - Round (Flangeless)         5.CHOOSE CCT & TRIM OPTIONS         AMBER ONLY         CCT         TA5L - 500 Lm / Amber Only         FINISH         MW / MB / PT - Matte White / Matte Black	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K CIR 2 500 Lm / Amber Only				
	ROUND         RDD4F - Round (Flanged)         RDD4N - Round (Flangeless)         5.CHOOSE CCT & TRIM OPTIONS         AMBER ONLY         CCT         TA5L - 500 Lm / Amber Only         FINISH         MW / MB / PT - Matte White / Matte Black         CC - Custom Color	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K CIR 2 500 Lm / Amber Only				
	ROUND         RDD4F - Round (Flanged)         RDD4N - Round (Flangeless)         5.CHOOSE CCT & TRIM OPTIONS         AMBER ONLY         CCT         TA5L - 500 Lm / Amber Only         FINISH         MW / MB / PT - Matte White / Matte Black         CC - Custom Color         FLANGE FINISH	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K CIR 2 500 Lm / Amber Only				
	ROUND         RDD4F - Round (Flanged)         RDD4N - Round (Flangeless)         5.CHOOSE CCT & TRIM OPTIONS         AMBER ONLY         CCT         TA5L - 500 Lm / Amber Only         FINISH         MW / MB / PT - Matte White / Matte Black         CC - Custom Color         FLANGE FINISH         MF - Matching Flange	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K         CIR 2 500 Lm / Amber Only         / Platinum Silver (More Colors Available)				
	ROUND         RDD4F - Round (Flanged)         RDD4N - Round (Flangeless)         5.CHOOSE CCT & TRIM OPTIONS         AMBER ONLY         CCT         TA5L - 500 Lm / Amber Only         FINISH         MW / MB / PT - Matte White / Matte Black         CC - Custom Color         FLANGE FINISH	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K         CIR 2 500 Lm / Amber Only         / Platinum Silver (More Colors Available)				
	ROUND RDD4F - Round (Flanged) RDD4N - Round (Flangeless) 5.CHOOSE CCT & TRIM OPTIONS AMBER ONLY CCT TA5L - 500 Lm / Amber Only FINISH MW / MB / PT - Matte White / Matte Black CC - Custom Color FLANGE FINISH MF - Matching Flange WF - White Flange (Use w/ Non-White Trim Fin LENS	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K         CIR 2 500 Lm / Amber Only         / Platinum Silver (More Colors Available)				
TDIM ODTIONIS	ROUND         RDD4F - Round (Flanged)         RDD4N - Round (Flangeless)         5.CHOOSE CCT & TRIM OPTIONS         AMBER ONLY         CCT         TA5L - 500 Lm / Amber Only         FINISH         MW / MB / PT - Matte White / Matte Black         CC - Custom Color         FLANGE FINISH         MF - Matching Flange         WF - White Flange (Use w/ Non-White Trim Finite         LENS         SO - Solite™ Micro Prism Lens	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K         CIR 2 500 Lm / Amber Only         / Platinum Silver (More Colors Available)				
	ROUND RDD4F - Round (Flanged) RDD4N - Round (Flangeless) 5.CHOOSE CCT & TRIM OPTIONS AMBER ONLY CCT TA5L - 500 Lm / Amber Only FINISH MW / MB / PT - Matte White / Matte Black CC - Custom Color FLANGE FINISH MF - Matching Flange WF - White Flange (Use w/ Non-White Trim Fin LENS	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K         CIR 2 500 Lm / Amber Only         / Platinum Silver (More Colors Available)				
	ROUND         RDD4F - Round (Flanged)         RDD4N - Round (Flangeless)         5.CHOOSE CCT & TRIM OPTIONS         AMBER ONLY         CCT         TA5L - 500 Lm / Amber Only         FINISH         MW / MB / PT - Matte White / Matte Black         CC - Custom Color         FLANGE FINISH         MF - Matching Flange         WF - White Flange (Use w/ Non-White Trim Finite         LENS         SO - Solite™ Micro Prism Lens	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K         CIR 2 500 Lm / Amber Only         / Platinum Silver (More Colors Available)				
	ROUND         RDD4F - Round (Flanged)         RDD4N - Round (Flangeless)         5.CHOOSE CCT & TRIM OPTIONS         AMBER ONLY         CCT         TA5L - 500 Lm / Amber Only         FINISH         MW / MB / PT - Matte White / Matte Black         CC - Custom Color         FLANGE FINISH         MF - Matching Flange         WF - White Flange (Use w/ Non-White Trim Fin         LENS         SO - Solite™ Micro Prism Lens         GL - Clear Glass Lens	SDD4F - Square (Flanged)         SDD4N - Square (Flangeless)         DUAL CIRCUIT         CCT         TD10L - CIR 1 1000 Lm / at 3000K         CIR 2 500 Lm / Amber Only         / Platinum Silver (More Colors Available)				

SR4MOTA5L / DO101BH27 / RDD4F/TA5L/MW/SO/MF

HOUSING HOUSING OPTIONS TRIM OPTIONS



## **COLOR OPTIONS**


SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES, CONSULT SPECIFICATION SHEETS. NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.

#### STANDARD CORD / STEM / CANOPY FINISHES

#### **PAINT TIMES**

FIXTURE COLOR	STANDARD CORD COLOR	STANDARD CANOPY / STEM COLOR	TIER	COST	PAINT TIME*
Matte White, Textured White	Matte White	Matte White	Tier 1 - Standard Finishes	\$	O
Gloss White	Matte White Gloss White		Tier 2 - Typical Finishes	\$\$	00
Matte Black, Gloss Black, Textured Black	Matte Black	Matte Black	Tier 3 - Special Metal Finishes	\$\$\$	000
All Others	Matte Black	Same Color as Fixture	Custom Color	Contact Factory	Contact Factory
Custom Color	Contact Factory	Contact Factory	*CONTACT FACTORY FOR SPECIFIC P	RODUCT LEAD TIMES	

#### **TIER 1 - STANDARD FINISHES**



#### **TIER 2 - TYPICAL FINISHES**





## WHY SPECTRUM?

Attention to detail. Precision crafted quality. Personal service with every order.

At Spectrum Lighting we understand the importance of meeting budgets, quality and delivery of lighting fixtures on your projects. To achieve these important requirements, Spectrum Lighting is proud to design and manufacture all fixtures in our 250,000 square foot Massachusetts factory. This allows us to control production volume, speed, cost and quality right here in the USA. We work on both large and small projects and treat each job with the same level of care.

All fixtures as well as most major components are manufactured in house. We employ state of the art equipment, like our new fiber laser. Time honored metalworking skills like metal spinning, machining and welding.

We constantly survey the market for the best quality LEDs, optics, electronics, controls and other materials. We bring you these materials in visually comfortable, uniquely designed and easy to maintain lighting fixtures.

Our greatest resource is our people. Our team works together to grow the company and help our customers. We are here to serve you with technical help, customer service and warranty support.

Spectrum Lighting. Illuminating what's possible.



WWW.SPECLIGHT.COM • 508.678.2303 994 JEFFERSON ST, FALL RIVER, MA 02721



