

NAUTICAL LIGHT **INCANDESCENT BULKHEAD SERIES**

PROJECT:

QUANTITY:

TYPE:



RD - Red Baron

SERIES	ACCESSORIES ¹		MOUNTING ³		FINISH ⁶		WET KIT	
NL1012INC	FJ2 ² 4*x8* Fros GJ2 4*x8* Clea WG2 Wire Guard	sted Glass ar Glass	CP3 PA_4 SP90_4 HM_5 AT_5 PM_5 CD_5	WALL MOUNT Wall Pipe Interface CP6 Decorative Cover Mounting Arm Style Straight Arm CELLING MOUNT Hang Straight Pendant Adjustable Length Hang Straight Pendant Cord and Cable Mount Cord Mount Cord Mount	fo	Matte White Matte Black Platinum Silver Custom Color See Page 4 r Full Range of Color Options (83-90083)	WLKA	Wet Location Kit

EXAMPLE: NL1012INC/FJ2/CP6PA23/BZ

 NOTES:
 1 See Enclosures & Guards Page for Wire Guards and Additional Options
 2 Standard Enclosure
 3 See Mounting Pages Options and Details on Components and Finishes


 4 See Mounting Page for Available Arm Options
 5 Specify Length in Inches: See Mounting Page for Available Lengths
 6 See Color Page for More Options/Consult Factory for Special Finishes






NAUTICAL LIGHT **INCANDESCENT BULKHEAD SERIES**

HOUSING DIMENSIONS





APPLICATION The LED Bulkhead Series offers rugged design.

FEATURES

Spectrum Lighting's RLM Classics are inspired by vintage lighting fixtures redesigned with modern LED light sources and materials. The wide range of options for illumination, mounting, enclosures, guards and finishes allows for creative fixture specification and design. LED module and driver are serviceable for future replacement. Fixture available in three sizes.

FINISH

Multi-stage polyester powder-coat process applied on our dedicated paint lines. Variety of standard and custom finishes are available. Interior painted same finish as exterior.

ELECTRONICS

E26 Edison medium base 120V socket for incandescent or LED lamps.

CONSTRUCTION

Fixture shades are spun in our factory from 0.063 high purity aluminum. Wall mount canopies are die-cast aluminum with stainless steel hardware. Wall arms are formed 3/4 NPT aluminum pipe and may be field cut.


CODE COMPLIANCE BAA compliant. ETL certified to meet US and Canadian standards. Suitable for dry or damp locations. Wet Location Option. Manufactured and tested to UL standards No. 1598/8750.

MOUNTING & ACCESSORIES


SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES, CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION. NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.




WALL MOUNTING



CUSTOM AND OTHER WALL ARMS AVAILABLE - CONTACT FACTORY, ARMS MAY BE FIELD CUT ON WALL SIDE - FIXTURE SIDE THREADED 3/4" NPT REQUIRES SEALANT FOR WET LOCATION



CEILING MOUNTING



MAXIMUM ONE PIECE STEM LENGTH IS 72", **MAXIMUM ONE PIECE STEM LENGTH IS 36", LONGER LENGTHS ARE POSSIBLE USING MULTIPLE STEMS AND COUPLERS. **ORDER IN 12" INCREMENTS, ODD SIZES MAY BE FIELD CUT



ILLUMINATING WHAT'S POSSIBLE.

COLOR OPTIONS - POWDER COAT PAINT FINISHES

NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.

STANDARD CORD / STEM / CANOPY FINISHES

FIXTURE COLOR	STANDARD CORD COLOR	STANDARD CANOPY / STEM COLOR	TIER	COST	AVERAGE PAINT TIME*				
Matte White, Textured White	Matte White	Matte White	Tier 1 - Standard Finishes	\$	Ū				
Gloss White	Matte White	Gloss White	Tier 2 - Typical Finishes	\$\$	00				
Matte Black, Gloss Black, Textured Black	Matte Black	Matte Black	Tier 3 - Special Metal Finishes	\$\$\$	000				
All Others	Matte Black	Same Color as Fixture	Custom Color	Contact Factory	Contact Factory				
Custom Color	Contact Factory	Contact Factory	*CONTACT FACTORY FOR SPECIFIC PRODUCT LEAD TIMES						

PAINT TIMES


TIER 1 - STANDARD FINISHES



TIER 2 - TYPICAL FINISHES



TIER 3 - SPECIAL METAL FINISHES



CUSTOM COLOR FINISHES

CONTACT FACTORY



*UNAVAILABLE FOR WET LOCATION

