

PROJECT:	
QUANTITY:	TYPE:









SB1014INC AL - Almond



SB1014INC EG - Evergreen

SERIES	ACCESSORIES ¹	MOUNTING ³	INTERIOR ⁶	FINISH ⁶	WET KIT
SB1014INC	FJ1 ² 3"x6.5" Frosted Glass GJ1 3"x6.5" Clear Glass CG1 Cast Wire Guard	WALL MOUNT CP6* CP3 PA_4 SP90_4 CEILING MOUNT Wall Pipe Interface CP6 Decorative Cover Mounting Arm Style Straight Arm CEILING MOUNT	MWIP CCI Custom Color FCI Fixture Color Interior	MW7 Matte White MB7 Matte Black PT7 Platinum Silver CC Custom Color	WLKA Wet Location Kit
	HM_s Hang Straight Pendant AT_s Adjustable Length Hang Straight Pendant PM_s Pendant/Straight Mount CD_s Cord and Cable Mount Cord Mount	See Page 4 for Full Range of Color Options (83-90083)	See Page 4 for Full Range of Color Options (83-90083)		


EXAMPLE: SB1014INC/FJ1CG1/CD72/MWIPT

NOTES:
1 See Enclosures & Guards Page for Wire Guards and Additional Options
2 Standard Enclosure
3 See Mounting Pages Options and Details on Components and Finishes
4 See Mounting Page for Available Arm Options
5 Specify Length in Inches: See Mounting Page for Available Lengths
6 See Color Page for More Options/Consult Factory for
Special Finishes
7 Standard Interior Finish





HOUSING DIMENSIONS



Α	В	С
14.5	9.5	10.8
368.3 mm	240.9 mm	273.5 mm

APPLICATION

The Subway series inspired by the Boston "T" Train offers rugged design and a variety of decorative options.

EEATLIDES

Spectrum Lighting's RLM Classics are inspired by vintage lighting fixtures redesigned with modern LED light sources and materials. The wide range of options for illumination, mounting and finishes allows for creative fixture specification and design. LED module and driver are serviceable for future replacement.

FINISH

Multi-stage polyester powder-coat process applied on our dedicated paint lines. Variety of standard and custom finishes are available. Interior is Matte White unless specified.

ELECTRONICS

E26 Edison medium base 120V socket for incandescent or LED lamps.

CONSTRUCTION

Fixture shades are spun in our factory from 0.063 high purity aluminum. Wall mount canopies are die-cast aluminum with stainless steel hardware. Wall arms are formed 3/4 NPT aluminum pipe and may be field cut.

CODE COMPLIANCE

BAA compliant. ETL certified to meet US and Canadian standards. Suitable for dry or damp locations. Wet Location Option. Manufactured and tested to UL standards No. 1598/8750.

ENCLOSURES

ENCLOSURE WIRE GUARDS







MOUNTING & ACCESSORIES

SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES, CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION. NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.




WALL MOUNTING


CP6 - MOUNTS DIRECTLY TO WALL OR OCTAGON STYLE J-BOX







CEILING MOUNTING



*MAXIMUM ONE PIECE STEM LENGTH IS 72". **MAXIMUM ONE PIECE STEM LENGTH IS 36", LONGER LENGTHS ARE POSSIBLE USING MULTIPLE STEMS AND COUPLERS. **ORDER IN 12" INCREMENTS, ODD SIZES MAY BE FIELD CUT



COLOR OPTIONS - POWDER COAT PAINT FINISHES

NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.



STANDARD CORD / STEM / CANOPY FINISHES

FIXTURE COLOR	STANDARD CORD COLOR	STANDARD CANOPY / STEM COLOR	
Matte White, Textured White	Matte White	Matte White	
Gloss White	Matte White	Gloss White	
Matte Black, Gloss Black, Textured Black	Matte Black	Matte Black	
All Others	Matte Black	Same Color as Fixture	
Custom Color	Contact Factory	Contact Factory	

PAINT TIMES

TIER	COST	AVERAGE PAINT TIME*
Tier 1 - Standard Finishes	\$	0
Tier 2 - Typical Finishes	\$\$	00
Tier 3 - Special Metal Finishes	\$\$\$	000
Custom Color	Contact Factory	Contact Factory

^{*}CONTACT FACTORY FOR SPECIFIC PRODUCT LEAD TIMES


TIER 1 - STANDARD FINISHES

GW Gloss White	PT Platinum Silver	MB Matte Black	GB Gloss Black	BZ Bronze

TIER 2 - TYPICAL FINISHES



TIER 3 - SPECIAL METAL FINISHES



CUSTOM COLOR FINISHES

CONTACT FACTORY

CC Custom Color

CC

^{*}UNAVAILABLE FOR WET LOCATION