

TWA5 BET

5" WALL WASH TRACK LUMINAIRE

TWA5 fixture is a 64° wide flood wall wash track or monopoint luminaire with up to 2,970 lumens delivered.

LUM	LUMENS / WATTAGE DATA					
PART NUMBER	T	DELIVERED LUMENS ¹	SYSTEM WATTS	LPW		
TWA5 30L BET	٦	2983	27	110		

1 Nominal Delivered Lumens

TYPE:

PROJECT:

QUANTITY:

FEATURES

80+ CRI with 3 Step MacAdam color binning.
135° of vertical tilt.
350° horizontal rotation.
Soft etch lens for visual comfort and protection of LED from dust.
For use with Spectrum BET Basix track system (Juno Compatible).

LISTING

ETL Listed for dry location.

Manufactured and tested to UL standards No. 1574.

WARRANTY

5 Year warranty standard. L70>60,000 hours.

PRODUCT SELECTOR GUIDE

SERIES	FAMILY	LUMENS	CCT	DIMMING	ADAPTOR	FINISH
TW	A5	30L		E1	BET	
EXAMPLE						
TW	A5	30L	35K	E1	BET	MW

SERIES	FAMILY	LUMENS	CCT	DIMMING	ADAPTOR	FINISH
TW	A5 - 5" Wall Wash	30L - 2970 Lm	30K - 3000 K 35K - 3500 K	E1 - Electronic Low-Voltage (ELV)/TRIAC, 120V	BET - Basix 1 CIR/1 NEUT 120V	MW - Matte White MB - Matte Black

GREEN TEXT INDICATES QUICK SHIP OPTIONS







COPYRIGHT 2023 SPECTRUM LIGHTING, INC.




FIXTURE DIMENSIONS




TW - A5 - 30L - 30K - xx - xx - MW




PERFORMANCE DATA - INITIAL ILLUMINATION (FOOTCANDLES) ON WALL - DIRECT LIGHT ONLY



TW - A5 - 30L - 30K - xx - xx - MW



PERFORMANCE DATA - INITIAL ILLUMINATION (FOOTCANDLES) ON WALL - DIRECT LIGHT ONLY



3'-6" away from wall 4'-0" on center